

## Exercise - I (Conceptual Questions)

## Build Up Your Understanding

### CELL THEORY, CELL MEMBRANE AND CELL WALL

- Which of the following is not correct?
  - Robert Brown discovered the cell.
  - Schleiden and Schwann formulated the cell theory.
  - Virchow explained that cells are formed from pre-existing cells.
  - A unicellular organism carries out its life activities within a single cell.

**BCL009**

- The main arena of various types of activities of a cell is:
  - Nucleus
  - Plasma membrane
  - Mitochondria
  - Cytoplasm

**BCL089**

- Cell membrane is composed of :-
  - Proteins and cellulose
  - Proteins and phospholipids
  - Proteins and carbohydrates
  - Proteins, phospholipids and some carbohydrates

**BCL001**

- Carbohydrates are present in the plasma membrane in the form of :-
  - Hemicellulose
  - Cellulose
  - Starch
  - Glycoprotein

**BCL002**

- Carbohydrates which are present in the cell membrane take part in :-
  - Transport of substance
  - Cell recognition
  - Attachment to microfilament
  - Attachment to microtubules

**BCL003**

- Plasma membrane is fluid structure due to presence of :-

- Carbohydrates
- Lipid
- Glycoprotein
- Polysaccharide

**BCL004**

- The fluid nature of the membrane is helpful in function of :-

- Cell growth
- Cell division
- Endocytosis
- All the above

**BCL007**

- Plasma membrane is :-

- Selectively permeable
- Permeable
- Impermeable
- Semipermeable

**BCL008**

- In fluid mosaic model of plasma membrane:

- Upper layer is non-polar and hydrophilic
- Polar layer is hydrophobic
- Phospholipids form a bimolecular layer in middle part
- Proteins form a middle layer

**BCL011**

- Which of the following is correct:

- Cells of all living organisms have a nucleus.
- Both animal and plant cells have a well defined cell wall.
- In prokaryotes, there are no membrane bound organelles.
- Cells are formed *de novo* from abiotic materials.

**BCL208**

11. The plasma membrane consists mainly of:
- (1) proteins embedded in a carbohydrate bilayer
  - (2) phospholipids embedded in a protein bilayer
  - (3) proteins embedded in a phospholipid bilayer
  - (4) proteins embedded in a polymer of glucose molecules

**BCL086**

12. Select the correct statement from the following regarding cell membrane: -
- (1) Lipids are arranged in a bilayer with polar heads towards the inner part
  - (2) Fluid mosaic model of cell membrane was proposed by Singer and Nicolson
  - (3)  $\text{Na}^+$  and  $\text{K}^+$  ions move across cell membrane by passive transport
  - (4) Proteins make up 60 to 70% of the cell membrane

**BCL096**

13. The chemical substance abundantly present in middle lamella is :-
- (1) Cutin
  - (2) Chitin
  - (3) Lignin
  - (4) Pectin

**BCL005**

14. Which of the following is capable of growth and gradually diminishes as the cell matures?
- (1) Primary cell wall
  - (2) Secondary cell wall
  - (3) Middle lamella
  - (4) Cell membrane

**BCL006**

15. Plasmodesmata are: -
- (1) Connections between adjacent cells
  - (2) Lignified cemented layers between cells
  - (3) Locomotory structures
  - (4) Membranes connecting the nucleus with plasmalemma

**BCL083**

16. Middle lamella is composed mainly of: -
- (1) Phosphoglycerides
  - (2) Hemicellulose
  - (3) Muramic acid
  - (4) Calcium pectate

**BCL084**

17. Which one of the following structures between two adjacent cells is an effective transport pathway?
- (1) Plasmalemma
  - (2) Plasmodesmata
  - (3) Plastoquinone
  - (4) Endoplasmic reticulum

**BCL087**

18. Algae have cell wall made up of:
- (1) Cellulose, hemicellulose and pectins
  - (2) Cellulose, galactans and mannans
  - (3) Hemicellulose, pectins and proteins
  - (4) Pectins, cellulose and proteins

**BCL090**

19. Ingestion of large molecules by a cell is called -
- (1) Diffusion
  - (2) Osmosis
  - (3) Exocytosis
  - (4) Endocytosis

**BCL010**

20. The main lipid components of the plant cell membrane are :-
- (1) Phosphodiester
  - (2) Glycocalyx
  - (3) Peptidoglycan
  - (4) Phosphoglyceride

**BCL012**

#### ER, GOLGI COMPLEX AND LYSOSOME

21. Hydrolytic enzymes are abundantly found in which cell organelles ?
- (1) Ribosome
  - (2) Lysosome
  - (3) Golgi body
  - (4) Endoplasmic reticulum

**BCL018**

**22.** At which pH lysosomal enzymes become active ?

- (1) pH – 5                      (2) pH – 7  
(3) pH – 8                      (4) pH – 10

**BCL022**

**23.** Which cell organelle(s) take(s) part in the formation of lysosomes ?

- (1) Endoplasmic reticulum  
(2) Golgi bodies  
(3) Both (1) and (2)  
(4) Mitochondria

**BCL024**

**24.** A single unit membrane organelle is :-

- (1) Ribosome                      (2) Mitochondria  
(3) Chloroplast                      (4) Lysosome

**BCL025**

**25.** Rough E.R. mainly responsible for:-

- (1) Protein synthesis  
(2) Cell wall formation  
(3) Lipid synthesis  
(4) Cholesterol synthesis

**BCL013**

**26.** Which cell organelle synthesises steroids ?

- (1) E. R.                      (2) Golgi body  
(3) Peroxisomes                      (4) Lysosomes

**BCL016**

**27.** Which of the following provides mechanical support and shape to the cell ?

- (1) Golgi complex                      (2) Centrioles  
(3) Lysosomes                      (4) E.R.

**BCL017**

**28.** The smooth E.R. is mainly made up of :-

- (1) Cisternae                      (2) Tubules  
(3) Vesicle                      (4) All the above

**BCL019**

**29.** Ribophorins occur on the surface of :-

- (1) Rough E.R.                      (2) Smooth E.R.  
(3) Golgi body                      (4) Lysosome

**BCL021**

**30.** Which of the following is the site of lipid synthesis?

- (1) Rough ER                      (2) Smooth ER  
(3) Golgi bodies                      (4) Ribosome

**BCL027**

**31.** A major site for synthesis of lipids is:

- (1) Nucleoplasm                      (2) RER  
(3) SER                      (4) Symplast

**BCL102**

**32.** Golgi body originates from :-

- (1) E. R.                      (2) Mitochondria  
(3) Nucleus                      (4) Proplastid

**BCL015**

**33.** Main function of golgi-complex is :-

- (1) Fermentation  
(2) Phosphorylation  
(3) Respiration  
(4) Packaging of materials for secretion

**BCL023**

**34.** Golgi body is concerned with :-

- (1) Respiration                      (2) Secretion  
(3) Excretion                      (4) Digestion

**BCL030**

**35.** Important site for formation of glycoproteins and glycolipids is :-

- (1) Vacuole                      (2) Golgi apparatus  
(3) Plastid                      (4) Lysosome

**BCL093**

**36.** The Golgi complex plays a major role:

- (1) In post translational modification of proteins and glycosidation of lipids  
(2) In trapping the light and transforming it into chemical energy  
(3) In digesting proteins and carbohydrates  
(4) As energy transferring organelles

**BCL101**

**MITOCHONDRIA AND PLASTID**

37. Mitochondrial DNA is :-  
 (1) Naked (2) Circular  
 (3) Double stranded (4) All the above

**BCL014**

38. Power house of cell is :-  
 (1) Nucleus (2) DNA  
 (3) Mitochondria (4) ATP

**BCL031**

39. Semiautonomous cell organelle is :-  
 (1) Mitochondria (2) Ribosome  
 (3) Golgi body (4) Peroxisome

**BCL033**

40. The cell organelles having abundance of oxidizing enzymes is :-  
 (1) Golgi body  
 (2) Endoplasmic reticulum  
 (3) Centrioles  
 (4) Mitochondria

**BCL035**

41. Aerobic respiration is performed by :-  
 (1) Mitochondria (2) Chloroplast  
 (3) Ribosome (4) Golgi body

**BCL036**

42. Ground substance present inside the mitochondria is called :-  
 (1) Stroma (2) Matrix  
 (3) Cell sap (4) Cytoplasm

**BCL037**

43. ATP factories of cells are –  
 (1) Chloroplast  
 (2) Mitochondria  
 (3) Ribosome  
 (4) Nucleus

**BCL038**

44. Cristae are found in :-  
 (1) Surface of grana  
 (2) Surface of plasma membrane.  
 (3) Inner Membrane of Mitochondria  
 (4) Nuclear Membrane

**BCL039**

45. Double layered organelles are -  
 (1) Ribosomes (2) Mitochondria  
 (3) Lysosomes (4) Centrioles

**BCL040**

46. Which one of the following has its own DNA?  
 (1) Peroxisome (2) Mitochondria  
 (3) Dictyosome (4) Lysosome

**BCL088**

47. Anthocyanin pigment is found in :-  
 (1) Chromoplasts (2) Amyloplasts  
 (3) Cytoplasm (4) Cell sap

**BCL029**

48. Which cell organelle releases oxygen ?  
 (1) Mitochondria (2) Golgi-body  
 (3) Chloroplast (4) Ribosome

**BCL034**

49. Chlorophyll in chloroplasts is located in –  
 (1) Grana and stroma thylakoids  
 (2) Only in stroma thylakoids  
 (3) Stroma  
 (4) Both grana and stroma

**BCL041**

50. Elaioplasts are absent in :-  
 (1) *Solanum tuberosum* (Potato)  
 (2) *Cocos nucifera* (Coconut)  
 (3) *Arachis hypogea* (Ground nut)  
 (4) *Helianthus annuus* (Sunflower)

**BCL042**

51. In higher plants, the chloroplasts are :-  
 (1) Discoidal or oval (2) Spiral  
 (3) Cup shaped (4) Reticulate

**BCL043**

52. Non-pigmented part of chloroplast is called:-  
 (1) Thylakoids (2) Grana  
 (3) Stroma (4) Lamellae

**BCL045**

**INTRA-ENDOMEMBRANE SYSTEM**

53. Which of the following is known as "**System of membranes**" ?

- (1) Lysosome (2) E.R.  
(3) Mitochondria (4) Chloroplast

**BCL020**

54. Cisternae are found -

- (1) Only in mitochondria  
(2) Only in Endoplasmic Reticulum  
(3) In Endoplasmic Reticulum and Golgi body  
(4) Only in Golgi body

**BCL026**

55. Vacuole in a plant cell: -

- (1) Lacks membrane and contains air  
(2) Lacks membrane and contains water and excretory substances  
(3) Is membrane-bound and contains storage proteins and lipids  
(4) is membrane-bound and contains water and excretory substances

**BCL082**

56. Which one of the following is not considered as a part of the endomembrane system?

- (1) Lysosome (2) Golgi complex  
(3) Peroxisome (4) Vacuole

**BCL094**

**RIBOSOME**

57. DNA is not found in :-

- (1) Nucleus (2) Mitochondria  
(3) Chloroplast (4) Ribosome

**BCL048**

58. Self duplication does not occur in :-

- (1) Mitochondria (2) Centrioles  
(3) Chloroplast (4) Ribosome

**BCL049**

59. "Palade particles" are :-

- (1) Ribosomes (2) Golgi vesicles  
(3) Lysosomes (4) Peroxisomes

**BCL053**

60. Polysome is a chain of :-

- (1) Pinosomes (2) Phagosomes  
(3) Microsomes (4) Ribosomes

**BCL054**

61. Prokaryotic ribosomes are 70 S, S refers to :

- (1) Svedberg unit (2) Smallest unit  
(3) Smooth (4) Speed

**BCL056**

62. Smallest cell organelle is :-

- (1) Lysosome (2) Centrosome  
(3) Ribosome (4) Golgibody

**BCL059**

63. 70 S type of ribosomes are found in :-

- (1) Prokaryotic cells  
(2) Prokaryotic cells, chloroplasts and mitochondria  
(3) Mitochondria  
(4) Nucleus, mitochondria


**BCL060**

64. The Ribosomes are made up of -

- (1) DNA + Protein (2) RNA + Protein  
(3) DNA + RNA (4) Only protein

**BCL061**

65. Here 'S' (Svedberg's unit) stands for sedimentation coefficient then what are [A] & [B] for eukaryotic cell.



- (1) A – 40S, B – 60S (2) A – 60S, B – 40S  
(3) A – 80S, B – 60S (4) A – 40S, B – 80S

**BCL064**

66. Polysome is formed by: -  
 (1) A ribosome with several subunits  
 (2) Ribosomes attached to each other in a linear arrangement  
 (3) Several ribosomes attached to a single mRNA  
 (4) Many ribosomes attached to a strand of endoplasmic reticulum

BCL081

67. What is true about ribosomes?  
 (1) These are found only in eukaryotic cells  
 (2) These are self-splicing introns of some RNAs  
 (3) The prokaryotic ribosomes are 80S where "S" stands for sedimentation coefficient  
 (4) These are composed of ribonucleic acid and proteins

BCL097

68. Which one of the following structures is an organelle within an organelle?  
 (1) ER (2) Mesosome  
 (3) Ribosome (4) Peroxisome

BCL100

#### INTRA-MITOCHONDRIA, PLASTID AND RIBOSOMES

69. Match the following

|     | Column I   |       | Column II                           |
|-----|------------|-------|-------------------------------------|
| (a) | Cristae    | (i)   | Flat membranous sacs in stroma      |
| (b) | Cisternae  | (ii)  | Infoldings in mitochondria          |
| (c) | Thylakoids | (iii) | Disc-shaped sacs in Golgi apparatus |

- (1) (a)-(ii), (b)-(iii), (c)-(i)  
 (2) (a)-(ii), (b)-(i), (c)-(iii)  
 (3) (a)-(iii), (b)-(ii), (c)-(i)  
 (4) (a)-(i), (b)-(iii), (c)-(ii)

BCL028

70. Which of the following sets of cell organelles contain DNA ?  
 (1) Mitochondria, peroxisome  
 (2) Plasma membrane, ribosome  
 (3) Mitochondria, chloroplast  
 (4) Chloroplast, dictyosome

BCL032

71. Mitochondria and chloroplast are considered to be endosymbionts of cell because they :-  
 (1) Possess their own nucleic acid  
 (2) Have capacity of ATP synthesis  
 (3) Do not reproduce  
 (4) All of the above

BCL044

72. Which of following is not common in chloroplasts & mitochondria ?  
 (1) Both are present in animal cells  
 (2) Both contain their own genetic material  
 (3) Both are present in eukaryotic cells  
 (4) Both are present in plant cells

BCL046

#### MICROBODIES, CYTOSKELETON AND CENTROSOMES CENTRIOLE

73. During germination of seeds which cell organelle converts fatty acid into soluble carbohydrate ?  
 (1) Peroxisome (2) Glyoxysome  
 (3) Golgi body (4) Lysosome

BCL047

74. The peroxisomes are associated with the phenomenon of :-  
 (1) Krebs cycle  
 (2) Degradation of  $H_2O$   
 (3) Anaerobic respiration  
 (4) Photorespiration and degradation of  $H_2O_2$

BCL051

75. Which of the following termed as highly specialised peroxisomes ?  
 (1) Glyoxysomes (2) Mitochondria  
 (3) Golgi body (4) Lysosomes

BCL052

- 76.** In which one of the following would you expect to find glyoxysomes ?  
 (1) Endosperm of wheat  
 (2) Endosperm of castor  
 (3) Palisade cells in leaf  
 (4) Root hairs

**BCL063**

- 77.** In which of the following tubulin protein is not present?  
 (1) Plasma membrane (2) Cilia  
 (3) Flagella (4) Microtubules

**BCL050**

- 78.** Cilia and flagella both -  
 (1) have 9 + 2 arrangement of microtubules  
 (2) are protective structure of cells  
 (3) are only present in protozoa animals  
 (4) are outgrowth structures of cytoplasm

**BCL062**

- 79.** Cytoskeleton is made up of: -  
 (1) Proteinaceous filaments  
 (2) Calcium carbonate granules  
 (3) Callose deposits  
 (4) Cellulosic microfibrils

**BCL085**

- 80.** An elaborate network of filamentous proteinaceous structures present in the cytoplasm which helps in the maintenance of cell shape is called:  
 (1) Endoplasmic Reticulum  
 (2) Plasmalemma  
 (3) Cytoskeleton  
 (4) Thylakoid

**BCL091**

- 81.** Basal body is :-  
 (1) Centriole like  
 (2) Plastid like  
 (3) Ribosome like  
 (4) Mitochondria like

**BCL055**

- 82.** Microtubules are composed of :-  
 (1) Actin protein (2) Myosin protein  
 (3) Tubulin protein (4) Dynein protein

**BCL057**

- 83.** Arrangement of microtubules in centriole is:-  
 (1) 9 + 2 (2) 2 + 9  
 (3) 11 + 0 (4) 9 + 0

**BCL058**

### CHROMOSOME AND NUCLEUS

- 84.** Genome is :-  
 (1) Part of chromosome  
 (2) Half part of a chromosome  
 (3) Total DNA in cell  
 (4) Total chromosomes in a gamete

**BCL065**

- 85.** Nucleolar organizer region is a :-  
 (1) Primary constriction  
 (2) Secondary constriction  
 (3) Tertiary constriction  
 (4) Centriole

**BCL066**

- 86.** Kinetochore is present on :-  
 (1) Mitochondria (2) Peroxisome  
 (3) Chromosome (4) Flagella

**BCL067**

- 87.** Chromosomes are composed of :-  
 (1) DNA, RNA, Histones, Non histones  
 (2) DNA and Histones  
 (3) DNA and RNA  
 (4) DNA, RNA and Histones

**BCL068**

- 88.** Which part of chromosome is concern with ageing of organism?  
 (1) Centromere (2) Telomere  
 (3) Kinetochore (4) Satellite

**BCL069**

|                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>89. The non-sticky chromosomal ends are known as—<br/>           (1) Chromatids                      (2) Centromeres<br/>           (3) Satellites                        (4) Telomeres<br/> <b>BCL070</b></p>                                                                          | <p>95. Nucleus is absent in :-<br/>           (1) Cell of vascular cambium<br/>           (2) Root hair cell<br/>           (3) Companion cell<br/>           (4) Members of mature sieve tube<br/> <b>BCL077</b></p>                                                                                                                                                                                   |
| <p>90. Salivary gland chromosome is concerned with :-<br/>           (1) vitellogenesis<br/>           (2) formation of ribosomes<br/>           (3) lipid synthesis<br/>           (4) metamorphosis in some insects<br/> <b>BCL072</b></p>                                               | <p>96. The telomeres of eukaryotic chromosomes consist of short sequences of –<br/>           (1) Cytosine rich repeats<br/>           (2) Adenine rich repeats<br/>           (3) Guanine rich repeats<br/>           (4) Thymine rich repeats<br/> <b>BCL078</b></p>                                                                                                                                  |
| <p>91. Part of chromosome after secondary constriction is called :-<br/>           (1) Centromere<br/>           (2) Telomere<br/>           (3) Satellite<br/>           (4) Nucleolar organiser<br/> <b>BCL073</b></p>                                                                   | <p>97. The protein nucleoplasmin occurs on :-<br/>           (1) Nuclear pore<br/>           (2) Sieve cells<br/>           (3) Nucleolus<br/>           (4) Hetero chromatin<br/> <b>BCL071</b></p>                                                                                                                                                                                                    |
| <p>92. If the centromere is close to chromosome's end and the two arms are unequal then the chromosome is called as :-<br/>           (1) Metacentric                      (2) Submetacentric<br/>           (3) Acrocentric                        (4) Telocentric<br/> <b>BCL074</b></p> | <p>98. Ribosomal RNA is actively synthesized in:-<br/>           (1) Nucleoplasm<br/>           (2) Ribosomes<br/>           (3) Lysosomes<br/>           (4) Nucleolus<br/> <b>BCL098</b></p>                                                                                                                                                                                                          |
| <p>93. Hetero-chromatin is :-<br/>           (1) Darkly stained part of chromatin<br/>           (2) Lightly stained part of cristae<br/>           (3) Lightly stained part of grana<br/>           (4) Scattered Lobes in cytoplasm<br/> <b>BCL075</b></p>                               | <p>99. Protein synthesis in an animal cell occurs –<br/>           (1) On ribosomes present in cytoplasm as well as in mitochondria<br/>           (2) On ribosomes present in the nucleolus as well as in cytoplasm<br/>           (3) Only on ribosomes attached to the nuclear envelope and endoplasmic reticulum<br/>           (4) Only on the ribosomes present in cytosol<br/> <b>BCL079</b></p> |
| <p>94. Chromosome with centromere at one end, is:<br/>           (1) Metacentric                      (2) Submetacentric<br/>           (3) Telocentric                        (4) Acrocentric<br/> <b>BCL076</b></p>                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                         |

**EXERCISE-I (Conceptual Questions)**
**ANSWER KEY**

|          |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Question | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 |
| Answer   | 1  | 4  | 4  | 4  | 2  | 2  | 4  | 1  | 3  | 3  | 3  | 2  | 4  | 1  | 1  |
| Question | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| Answer   | 4  | 2  | 2  | 4  | 4  | 2  | 1  | 3  | 4  | 1  | 1  | 4  | 2  | 1  | 2  |
| Question | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
| Answer   | 3  | 1  | 4  | 2  | 2  | 1  | 4  | 3  | 1  | 4  | 1  | 2  | 2  | 3  | 2  |
| Question | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| Answer   | 2  | 4  | 3  | 1  | 1  | 1  | 3  | 2  | 3  | 4  | 3  | 4  | 4  | 1  | 4  |
| Question | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| Answer   | 1  | 3  | 2  | 2  | 2  | 3  | 4  | 3  | 1  | 3  | 1  | 1  | 2  | 4  | 1  |
| Question | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 |
| Answer   | 2  | 1  | 1  | 1  | 3  | 1  | 3  | 4  | 4  | 2  | 3  | 1  | 2  | 4  | 4  |
| Question | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 |    |    |    |    |    |    |
| Answer   | 3  | 3  | 1  | 3  | 4  | 3  | 1  | 4  | 1  |    |    |    |    |    |    |

## Exercise - II (Previous Year Questions)

## AIPMT/NEET

## AIPMT 2014

1. The solid linear cytoskeletal elements having a diameter of 6 nm and made up of a single type of monomer are known as:

(1) Microtubules  
(2) Microfilaments  
(3) Intermediate filaments  
(4) Lamins

BCL104

2. Match the following and select the correct answer :

| Column-I        | Column-II                         |
|-----------------|-----------------------------------|
| (a) Centriole   | (i) Infoldings in mitochondria    |
| (b) Chlorophyll | (ii) Thylakoids                   |
| (c) Cristae     | (iii) Nucleic acids               |
| (d) Ribozymes   | (iv) Basal body cilia or flagella |

(1) (a)–(iv), (b)–(ii), (c)–(i), (d)–(iii)  
(2) (a)–(i), (b)–(ii), (c)–(iv), (d)–(iii)  
(3) (a)–(i), (b)–(iii), (c)–(ii), (d)–(iv)  
(4) (a)–(iv), (b)–(iii), (c)–(i), (d)–(ii)

BCL105

## AIPMT 2015

3. DNA is not present in :-  
(1) Ribosomes (2) Nucleus  
(3) Mitochondria (4) Chloroplast

BCL106

4. The structures that are formed by stacking of organized flattened membranous sacs in the chloroplasts are:-

(1) Grana (2) Stroma lamellae  
(3) Stroma (4) Cristae

BCL107

5. The chromosomes in which centromere is situated close to one end are:

(1) Acrocentric (2) Telocentric  
(3) Sub-metacentric (4) Metacentric

BCL108

6. Which one of the following is not an inclusion body found in prokaryotes?

(1) Cyanophycean granule  
(2) Glycogen granule  
(3) Polysome  
(4) Phosphate granule

BCL109

7. Select the correct matching in the following pairs:

(1) Smooth ER – Synthesis of lipids  
(2) Rough ER – Synthesis of glycogen  
(3) Rough ER – Oxidation of fatty acids  
(4) Smooth ER – Oxidation of phospholipids

BCL110

## RE-AIPMT 2015

8. Which of the following structures is not found in prokaryotic cells?

(1) Plasma membrane  
(2) Nuclear envelope  
(3) Ribosome  
(4) Mesosome

BCL111

9. Which of the following are not membrane-bound?

(1) Mesosomes (2) Vacuoles  
(3) Ribosomes (4) Lysosomes

BCL112

10. Cellular organelles with membranes are :

(1) Lysosomes, Golgi apparatus and mitochondria  
(2) Nuclei, ribosomes and mitochondria  
(3) Chromosomes, ribosomes and endoplasmic reticulum  
(4) Endoplasmic reticulum, ribosomes and nuclei

BCL113

- 11.** Match the columns and identify the correct option:

| Column-I       | Column-II                               |
|----------------|-----------------------------------------|
| (a) Thylakoids | (i) Disc-shaped sacs in Golgi apparatus |
| (b) Cristae    | (ii) Condensed structure of DNA         |
| (c) Cisternae  | (iii) Flat membranous sacs in stroma    |
| (d) Chromatin  | (iv) Infoldings in mitochondria         |

- (1) (a)–(iii), (b)–(iv), (c)–(ii), (d)–(i)  
 (2) (a)–(iv), (b)–(iii), (c)–(i), (d)–(ii)  
 (3) (a)–(iii), (b)–(iv), (c)–(i), (d)–(ii)  
 (4) (a)–(iii), (b)–(i), (c)–(iv), (d)–(ii)

**BCL114**

**NEET-I 2016**

- 12.** Mitochondria and chloroplast are :-  
 (a) semi-autonomous organelles  
 (b) formed by division of pre-existing organelles and they contain DNA but lack protein synthesizing machinery  
 Which one of the following options is correct?

- (1) Both (a) and (b) are correct  
 (2) (b) is true but (a) is false  
 (3) (a) is true but (b) is false  
 (4) Both (a) and (b) are false

**BCL115**

- 13.** Microtubules are the constituents of :-  
 (1) Cilia, Flagella and Peroxisomes  
 (2) Spindle fibres, Centrioles and Cilia  
 (3) Centrioles, Spindle fibres and Chromatin  
 (4) Centrosome, Nucleosome and Centrioles

**BCL116**

- 14.** A complex of ribosomes attached to a single strand of RNA is known as :-  
 (1) Polysome (2) Polymer  
 (3) Polypeptide (4) Okazaki fragment

**BCL117**

- 15.** Which one of the following cell organelles is enclosed by a single membrane?

- (1) Mitochondria (2) Chloroplasts  
 (3) Lysosomes (4) Nuclei

**BCL118**

- 16.** Water soluble pigments found in plant cell vacuoles are :-

- (1) Xanthophylls (2) Chlorophylls  
 (3) Carotenoids (4) Anthocyanins

**BCL119**

**NEET-II 2016**

- 17.** A cell organelle containing hydrolytic enzymes is:-

- (1) Ribosome (2) Mesosome  
 (3) Lysosome (4) Microsome

**BCL120**

**NEET 2017**

- 18.** Which of the following cell organelles is responsible for extracting energy from carbohydrates to form ATP?

- (1) Ribosome (2) Chloroplast  
 (3) Mitochondrion (4) Lysosome

**BCL121**

**NEET 2018**

- 19.** Which of the following is true for nucleolus?  
 (1) Larger nucleoli are present in dividing cells.

- (2) It is a membrane-bound structure.  
 (3) It takes part in spindle formation.  
 (4) It is a site for active ribosomal RNA synthesis.

**BCL122**

- 20.** The Golgi complex participates in :-

- (1) Fatty acid breakdown  
 (2) Formation of secretory vesicles  
 (3) Respiration in bacteria  
 (4) Activation of amino acid

**BCL123**

21. Which of the following events does *not* occur in rough endoplasmic reticulum?

- (1) Protein folding
- (2) Protein glycosylation
- (3) Cleavage of signal peptide
- (4) Phospholipid synthesis

BCL124

22. Select the *incorrect* match :

- |                                |   |                       |
|--------------------------------|---|-----------------------|
| (1) Lampbrush chromosomes      | – | Diplotene bivalents   |
| (2) Allosomes                  | – | Sex chromosomes       |
| (3) Submetacentric chromosomes | – | L-shaped chromosomes  |
| (4) Polytene chromosomes       | – | Oocytes of amphibians |

BCL125

## NEET-UG 2019

23. The shorter and longer arms of a submetacentric chromosome are referred to as :-

- (1) s-arm and l-arm respectively
- (2) p-arm and q-arm respectively
- (3) q-arm and p-arm respectively
- (4) m-arm and n-arm respectively

BCL126

24. Which of the following pair of organelles does not contain DNA?

- (1) Mitochondria and Lysosomes
- (2) Chloroplast and Vacuoles
- (3) Lysosomes and Vacuoles
- (4) Nuclear envelope and Mitochondria

BCL127

25. Which of the following statements is not correct?

- (1) Lysosomes have numerous hydrolytic enzymes.
- (2) The hydrolytic enzymes of lysosomes are active under acidic pH.

(3) Lysosomes are membrane bound structures.

(4) Lysosomes are formed by the process of packaging in the endoplasmic reticulum.

BCL128

26. The concept of "*Omnis cellula-e cellula*" regarding cell division was first proposed by:

- (1) Rudolf Virchow
- (2) Theodore Schwann
- (3) Schleiden
- (4) Aristotle

BCL129

27. Which of the following statements regarding mitochondria is incorrect?

- (1) Outer membrane is permeable to monomers of carbohydrates, fats and proteins.
- (2) Enzymes of electron transport are embedded in outer membrane.
- (3) Inner membrane is convoluted with infoldings.
- (4) Mitochondrial matrix contains single circular DNA molecule and ribosomes.

BCL130

## NEET-UG 2019 (Odisha)

28. Which of the following cell organelles is present in the highest number in secretory cells?

- (1) Mitochondria
- (2) Golgi complex
- (3) Endoplasmic reticulum
- (4) Lysosomes

BCL131

29. Non-membranous nucleoplasmic structures in nucleus are the site for active synthesis of:-

- |                       |          |
|-----------------------|----------|
| (1) Protein synthesis | (2) mRNA |
| (3) rRNA              | (4) tRNA |

BCL132

30. Match the column-I with column-II :-

| Column-I            | Column-II                                        |
|---------------------|--------------------------------------------------|
| (a) Golgi apparatus | (i) Synthesis of protein                         |
| (b) Lysosomes       | (ii) Trap waste and excretory products           |
| (c) Vacuoles        | (iii) Formation of glycoproteins and glycolipids |
| (d) Ribosomes       | (iv) Digesting biomolecules                      |

Choose the right match from options given below :-

- (1) (a)–(iii), (b)–(iv), (c)–(ii), (d)–(i)
- (2) (a)–(iv), (b)–(iii), (c)–(i), (d)–(ii)
- (3) (a)–(iii), (b)–(ii), (c)–(iv), (d)–(i)
- (4) (a)–(i), (b)–(ii), (c)–(iv), (d)–(iii)

**BCL133**

**NEET-UG 2020**

31. Which is the important site of formation of glycoproteins and glycolipids in eukaryotic cells :

- (1) Polysomes
- (2) Endoplasmic reticulum
- (3) Peroxisomes
- (4) Golgi bodies

**BCL134**

**NEET-UG 2021**

32. The organelles that are included in the endomembrane system are:

- (1) Endoplasmic reticulum, Mitochondria, Ribosomes and Lysosomes
- (2) Endoplasmic reticulum, Golgi complex, Lysosomes and Vacuoles
- (3) Golgi complex, Mitochondria, Ribosomes and Lysosomes
- (4) Golgi complex, Endoplasmic reticulum, Mitochondria and Lysosomes

**BCL135**

33. When the centromere is situated in the middle of two equal arms of chromosomes, the chromosome is referred as:

- (1) Metacentric
- (2) Telocentric
- (3) Sub-metacentric
- (4) Acrocentric

**BCL136**

34. Match List -I with List - II.

| List -I        | List -II                                             |
|----------------|------------------------------------------------------|
| (a) Cristae    | (i) Primary constriction in chromosome               |
| (b) Thylakoids | (ii) Disc-shaped sacs in Golgi apparatus             |
| (c) Centromere | (iii) Infoldings in mitochondria                     |
| (d) Cisternae  | (iv) Flattened membranous sacs in stroma of plastids |

Choose the correct answer from the options given below.

- (1) (a)–(iv), (b)–(iii), (c)–(ii), (d)–(i)
- (2) (a)–(i), (b)–(iv), (c)–(iii), (d)–(ii)
- (3) (a)–(iii), (b)–(iv), (c)–(i), (d)–(ii)
- (4) (a)–(ii), (b)–(iii), (c)–(iv), (d)–(i)

**BCL137**

35. Which of the following is an incorrect statement?

- (1) Mature sieve tube elements possess a conspicuous nucleus and usual cytoplasmic organelles.
- (2) Microbodies are present both in plant and animal cells.
- (3) The perinuclear space forms a barrier between the materials present inside the nucleus and that of the cytoplasm.
- (4) Nuclear pores act as passages for proteins and RNA molecules in both directions between nucleus and cytoplasm.

**BCL138**

## NEET-UG 2022

36. Match List-I with List-II.

|     | List-I                 |       | List-II                                                                                 |
|-----|------------------------|-------|-----------------------------------------------------------------------------------------|
| (a) | Metacentric            | (i)   | Centromere situated close to the end forming one extremely short and one very long arms |
| (b) | Acrocentric chromosome | (ii)  | Centromere at the terminal end                                                          |
| (c) | Sub-metacentric        | (iii) | Centromere in the middle forming two equal arms of chromosomes                          |
| (d) | Telocentric chromosome | (iv)  | Centromere slightly away from the middle forming one shorter arm and one longer arm     |

Choose the **correct answer** from the options given below:

- (1) (a)-(i), (b)-(iii), (c)-(ii), (d)-(iv)  
 (2) (a)-(ii), (b)-(iii), (c)-(iv), (d)-(i)  
 (3) (a)-(i), (b)-(ii), (c)-(iii), (d)-(iv)  
 (4) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)

BCL139

37. Which of the following statements with respect to Endoplasmic Reticulum is **incorrect**?

- (1) SER is devoid of ribosomes  
 (2) In prokaryotes only RER are present  
 (3) SER are the sites for lipid synthesis  
 (4) RER has ribosomes attached to ER

BCL140

## Re-NEET (UG) 2022

38. Which type of substance would face difficulty to pass through the cell membrane?

- (1) Substance with hydrophobic moiety  
 (2) Substance with hydrophilic moiety  
 (3) All substance irrespective of hydrophobic and hydrophilic moiety  
 (4) Substance soluble in lipids

BCL141

39. If the pH in lysosomes is increased to alkaline, what will be the outcome?

- (1) Hydrolytic enzymes will function more efficiently  
 (2) Hydrolytic enzymes will become inactive  
 (3) Lysosomal enzymes will be released into the cytoplasm  
 (4) Lysosomal enzymes will be more active

BCL142

## NEET-UG 2023

40. Which of the following are NOT considered as the part of endomembrane system ?

- A. Mitochondria  
 B. Endoplasmic Reticulum  
 C. Chloroplasts  
 D. Golgi complex  
 E. Peroxisomes

Choose the **most appropriate** answer from the options given below :

- (1) A, C and E only      (2) A and D only  
 (3) A, D and E only      (4) B and D only

BCL204

41. Which of the following functions is carried out by cytoskeleton in a cell ?

- (1) Protein synthesis      (2) Motility  
 (3) Transportation      (4) Nuclear division

BCL205

NEET-UG (MANIPUR) 2023

42. Given below are two statements:

**Statement I :** In bacteria, the mesosomes are formed by the extensions of plasma membrane.

**Statement II :** The mesosomes, in bacteria, help in DNA replication and cell wall formation.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) **Statement I** is correct but **Statement II** is incorrect.
- (2) **Statement I** is incorrect but **Statement II** is correct.
- (3) Both **Statement I** and **Statement II** are correct.
- (4) Both **Statement I** and **Statement II** are incorrect.

**BCL206**

43. Which of the following statements are **correct** with respect of Golgi apparatus ?

- (A) It is the important site of formation of glycoprotein and glycolipids.
- (B) It produces cellular energy in the form of ATP.
- (C) It modifies the protein synthesized by ribosomes on ER.
- (D) It facilitates the transport of ions.
- (E) It provides mechanical support.

Choose the **most appropriate** answer from the options given below :

- (1) (B) and (C) only
- (2) (A) and (C) only
- (3) (A) and (D) only
- (4) (D) and (E) only

**BCL207**

NEET-UG 2024

44. Match List I with List II.

|    | List I          |      | List II                                 |
|----|-----------------|------|-----------------------------------------|
| A. | Nucleolus       | I.   | Site of formation of glycolipid         |
| B. | Centriole       | II.  | Organization like the cartwheel         |
| C. | Leucoplasts     | III. | Site for active ribosomal RNA synthesis |
| D. | Golgi apparatus | IV.  | For storing nutrients                   |

Choose the correct answer from the options given below :

- (1) A-III, B-II, C-IV, D-I
- (2) A-II, B-III, C-I, D-IV
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-II, C-III, D-IV

**BCL210**

45. The DNA present in chloroplast is :

- (1) Linear, double stranded
- (2) Circular, double stranded
- (3) Linear, single stranded
- (4) Circular, single stranded

**BCL211**

46. Match List I with List-II :

|    | List-I            |      | List-II            |
|----|-------------------|------|--------------------|
| A. | Axoneme           | I.   | Centriole          |
| B. | Cartwheel pattern | II.  | Cilia and flagella |
| C. | Crista            | III. | Chromosome         |
| D. | Satellite         | IV.  | Mitochondria       |

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-IV, B-II, C-III, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-II, B-I, C-IV, D-III

**BCL212**

47. Given below are two statements:

**Statement-I :** Mitochondria and chloroplasts are both double membrane bound organelles.

**Statement-II :** Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statement, choose the most appropriate answer from the options given below :

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.

**BCL213**

**RE-NEET-UG 2024**

48. Match **List-I** with **List-II** :

| List-I |               | List-II |                                                |
|--------|---------------|---------|------------------------------------------------|
| A.     | Flemming      | I.      | Disc shaped sac or cisternae near cell nucleus |
| B.     | Robert Brown  | II.     | Chromatin                                      |
| C.     | George Palade | III.    | Ribosomes                                      |
| D.     | Camillo Golgi | IV.     | Nucleus                                        |

Choose the **correct** answer from the options given below :

- (1) A-II, B-IV, C-III, D-I
- (2) A-II, B-III, C-I, D-IV
- (3) A-I, B-II, C-III, D-IV
- (4) A-IV, B-II, C-III, D-I

**BCL214**

49. Match **List-I** with **List-II** :

| List I |                            | List II |                                                                                           |
|--------|----------------------------|---------|-------------------------------------------------------------------------------------------|
| A.     | Metacentric chromosome     | I.      | Chromosome has a terminal centromere                                                      |
| B.     | Sub-metacentric chromosome | II.     | Middle centromere forming two equal arms of chromosome                                    |
| C.     | Acrocentric chromosome     | III.    | Centromere is slightly away from the middle of chromosome resulting into two unequal arms |
| D.     | Telocentric chromosome     | IV.     | Centromere is situated close to its end forming one extremely short and one very long arm |

Choose the **correct** answer from the options given below :

- (1) A-II, B-I, C-IV, D-III
- (2) A-IV, B-I, C-II, D-III
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-III, C-IV, D-I

**BCL215**

50. Match **List-I** with **List-II**.

| List-I |                          | List-II |                 |
|--------|--------------------------|---------|-----------------|
| A.     | F <sub>1</sub> Particles | I.      | Chromosomes     |
| B.     | Histones                 | II.     | Cilia           |
| C.     | Axoneme                  | III.    | Golgi apparatus |
| D.     | Cisternae                | IV.     | Mitochondria    |

Choose the **correct** answer from the options given below :

- (1) A-II, B-I, C-IV, D-III
- (2) A-IV, B-I, C-II, D-III
- (3) A-IV, B-I, C-III, D-II
- (4) A-IV, B-III, C-I, D-II

**BCL216**

**EXERCISE-II (Previous Year Questions)**
**ANSWER KEY**


|          |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Question | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 |
| Answer   | 2  | 1  | 1  | 1  | 1  | 3  | 1  | 2  | 3  | 1  | 3  | 3  | 2  | 1  | 3  |
| Question | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| Answer   | 4  | 3  | 3  | 4  | 2  | 4  | 4  | 2  | 3  | 4  | 1  | 2  | 2  | 3  | 1  |
| Question | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
| Answer   | 4  | 2  | 1  | 3  | 1  | 4  | 2  | 2  | 2  | 1  | 2  | 3  | 2  | 1  | 2  |
| Question | 46 | 47 | 48 | 49 | 50 |    |    |    |    |    |    |    |    |    |    |
| Answer   | 4  | 3  | 1  | 4  | 2  |    |    |    |    |    |    |    |    |    |    |

## Exercise - III

## Master Your Understanding

## (A) NCERT BASED QUESTIONS

1. The figure given below shows the structure of plasma membrane, with its parts labelled from A to E, Identify the correct :-




- (1) A → 52 percent of erythrocyte membrane  
 (2) B and E → Movement of these can be measured as fluidity of membrane  
 (3) C → Help in facilitated transport of polar molecules  
 (4) D → Its polar tail contains saturated hydrocarbons

BCL143

2. Contractile vacuole :-

- (1) is a membrane less structure  
 (2) is formed by engulfing the food  
 (3) is important for osmoregulation  
 (4) is called suicidal bag of cell

Q. No. 3 to 7 are based on given diagram :-



BCL144

3. Which represents aqueous compartments?  
 (1) A, B (2) D, C  
 (3) A, D (4) B, D

BCL145

4. What is the average value of labelled F?  
 (1) 0.2  $\mu\text{m}$  (2) 0.5  $\mu\text{m}$   
 (3) 1.0  $\mu\text{m}$  (4) 4.1  $\mu\text{m}$

BCL146

5. Cristae are infoldings of ....., present toward the .....  
 (1) E and B (2) B and C  
 (3) C and D (4) F and D

BCL147

6. Single, circular DNA molecule is found in :-  
 (1) B (2) D  
 (3) E (4) C

BCL148

7. D contains :-  
 (i) few RNA molecules (ii) 70s ribosome  
 (iii) Enzymes (iv) Circular DNA

Options :-

- (1) ii, iv (2) i, ii, iv  
 (3) ii, iii, iv (4) i, ii, iii, iv

BCL149

8. (a) granular structure  
 (b) first observed under the electron microscope as dense particles by George Palade  
 (c) composed of RNA and proteins  
 (d) not surrounded by any membrane  
 Above given statements are true for which cell organelle?

Options :-

- (1) Nucleolus (2) Ribosome  
 (3) Lysosome (4) Chloroplast

BCL150

9. Find **incorrect** statement with regard to centrosome and centrioles :-

  - Centrosome is surrounded by amorphous pericentriolar material
  - In centrosome, both centrioles lie parallel to each other in which each has an organisation like the cartwheel
  - Centrioles are made up of nine unevenly spaced peripheral fibrils of tubulin
  - Hub is the central proteinaceous part of centriole
  - Proteinaceous radial spokes connect hub to peripheral triplets

**Options :-**

  - a, b, e
  - only b
  - b, c
  - All are correct

**BCL151**

10. ....observed that all plant tissues are made up of cells. At the same time....., studied different type of animal cells.

  - Rudolf Virchow and Robert Brown respectively
  - Mathias Schleiden and Theodore Schwann respectively
  - Theodore Schwann and Mathias Schleiden respectively
  - Robert Hooke and Schleiden respectively

**BCL152**

11. According to fluid-mosaic model, the quasi-fluid nature of.....enables lateral movement of.....within the overall bilayer. This ability to move within the membrane is measured as its...

  - Carbohydrates
  - Lipids
  - Proteins
  - Fluidity
  - Selective permeability

Correct sequence is :-

  - ii, iii, iv
  - iii, i, iv
  - iii, ii, v
  - i, ii, iv

**BCL153**

12. One of the most important functions of the plasma membrane is :-

  - Formation of nuclear membrane
  - Transport of molecules across it
  - Exocytosis
  - Detoxification

**BCL154**

13. ....can not pass through the lipid bilayer, they require a carrier protein of the membrane to facilitate their transport across the membrane

  - Nonpolar molecules
  - Polar molecules
  - Hydrophobic molecules
  - Both (2) and (3)

**BCL155**

14.  $\text{Na}^+/\text{K}^+$  pump is an example of :-

  - Passive transport
  - Osmosis
  - Active transport
  - Simple diffusion

**BCL156**

15. Mark the incorrect match for transport of molecules across the membrane :-

  - Neutral solute – simple diffusion
  - Water – osmosis
  - Non-polar molecules – facilitate diffusion
  - ATP utilized – active transport

**BCL157**

16. Mitochondria :-

  - are easily visible under the microscope (without specifically stained)
  - are typically sausage-shaped or cylindrical
  - are double membrane bound structures
  - have two aqueous compartments

**Options :-**

  - a, d correct and b, c incorrect
  - a, b correct and c, d incorrect
  - a incorrect and b, c, d correct
  - a, d incorrect and b, c correct

**BCL158**

- 17.** Inner mitochondrial membrane forms infoldings called :-  
 (1) Thylakoid (2) Cisternae  
 (3) Oxysomes (4) Cristae  
**BCL159**
- 18.** The number of mitochondria per cell is variable, depending on :-  
 (1) Size of cells  
 (2) Shape of cells  
 (3) Physiological activity of cells  
 (4) Type of genes present in mitochondrial DNA  
**BCL160**
- 19.** Which one of the following is not a component of endomembrane system ?  
 (a) Endoplasmic reticulum  
 (b) Golgi body (c) Lysosome  
 (d) Vacuole (e) Nucleus  
**Options :-**  
 (1) Both a and c (2) Only c  
 (3) d and e both (4) Only e  
**BCL161**
- 20.** Membrane bound vesicular structures formed by the process of packaging in the Golgi apparatus and filled with hydrolytic enzymes, are called :-  
 (1) Contractile vacuoles (2) Food vacuoles  
 (3) Lysosomes (4) Centrosome  
**BCL162**
- 21.** Eukaryotes have 80S, while prokaryotes have 70S ribosomes in cytoplasm. Here "S":  
 (a) denotes sedimentation coefficient  
 (b) is an indirect measure of density  
 (c) is an indirect measure of size  
**Options :-**  
 (1) a only (2) a and b only  
 (3) b and c only (4) a, b and c  
**BCL163**
- 22.** In r-RNA, "r" stands for :-  
 (1) Reversible (2) Ribozyme  
 (3) Ribosomal (4) Recognition  
**BCL164**
- 23.** Interphase nucleus has a loose and indistinct network of nucleoprotein fibres called chromatin, but during different stages of cell division, cells show "*structured chromosomes*" in place of the:-  
 (1) Nucleus (2) Plastids  
 (3) Mitochondria (4) Vacuole  
**BCL165**
- 24.** Nucleus as a "cell organelle" was first described by ..... as early as.....  
 (1) Robert Hooke, 1665  
 (2) Robert Brown, 1831  
 (3) Flemming, 1931  
 (4) Strasburger, 1831  
**BCL166**
- 25.** Space between parallel nuclear membranes is called perinuclear space which is :-  
 (1) 10–50 nm (2) 0.1 – 0.4  $\mu\text{m}$   
 (3) 10 – 50 Å (4) 1 – 4 nm  
**BCL167**
- 26.** A single human cell has approximately ..... long thread of DNA distributed among its ..... chromosomes:-  
 (1) 2 cm, 46 (2) 2 metre, 46  
 (3) 2 cm, 23 (4) 2 metre, 23  
**BCL168**
- 27.** Regarding to cell membrane find out the odd one  
 (1) Fluid mosaic model is widely accepted model  
 (2) Quasi fluid nature of lipids enables the lateral movement of proteins  
 (3) All types of molecules can easily pass through membrane  
 (4) Fluid nature of membrane is also important for cell growth & formation of intercellular junctions  
**BCL170**

- 28.** Which type of solutes may move across plasma membrane from higher to lower concentration along concentration gradient without help of transmembrane proteins?  
 (1) Positively charged solutes  
 (2) Negatively charged solutes  
 (3) Neutral solutes  
 (4) Any of the above  
**BCL171**
- 29.** Select out the wrong statement -  
 (1) Neutral solute can move according to concentration gradient across the nonpolar lipid bilayer  
 (2) Water can also move according to concentration gradient across the plasma membrane.  
 (3) Non polar molecules can not pass through non polar lipid bilayer  
 (4)  $\text{Na}^+$  &  $\text{K}^+$  can move across membrane through active transport  
**BCL172**
- 30.** Which of the following is not a function of cell wall ?  
 (1) Protection from mechanical damage and infection  
 (2) Cell to cell interaction  
 (3) Barrier to undesirable macromolecules  
 (4) Secretion  
**BCL173**
- 31.** Which of the following components is not a constituent of algal cell wall ?  
 (1) Cellulose (2) Galactans  
 (3) Mannans (4) Chitin  
**BCL174**
- 32.** Endoplasmic reticulum helps in :-  
 (1) The transport of substances  
 (2) Synthesis of lipoproteins  
 (3) Synthesis of glycogen  
 (4) All of the above  
**BCL175**
- 33.** Regarding to endoplasmic reticulum which of the following statements are wrong ?  
 (1) ER divides the intra cellular space into two distinct compartments  
 (2) RER frequently observed in cells actively involved in secretion  
 (3) In animals steroidal hormones are synthesized in RER  
 (4) SER is the major site of lipid synthesis  
**BCL176**
- 34.** Golgi complex receives proteins for modification from RER at which face ?  
 (1) Cis face (2) Trans face  
 (3) Concave face (4) Maturing face  
**BCL177**
- 35.** Classification of plastids into chloroplast, chromoplast and leucoplast is based on -  
 (1) Stored food (2) Pigments  
 (3) Structure (4) Size  
**BCL178**
- 36.** Chloroplast of higher plants contains -  
 (1) Only chlorophyll  
 (2) Only carotenoids  
 (3) Both chlorophyll and carotenoids  
 (4) Phycobilin  
**BCL179**
- 37.** Regarding to cilia and flagella which of the following statements is incorrect ?  
 (1) Cilia is small and flagella is long  
 (2) Cilia can move either cell or surrounding fluid  
 (3) Flagella is responsible for movement of surrounding fluid  
 (4) Cilia work like oars  
**BCL180**
- 38.** Plasma membrane covers the central core of the flagella and cilia this central core is known as -  
 (1) Bridge (2) Axoneme  
 (3) Radial spoke (4) Arms  
**BCL181**

39. Radial spokes of flagella helps in connection between-

- (1) Peripheral triplets
- (2) Central singlet microtubules
- (3) Peripheral doublet and central sheath
- (4) Two successive peripheral doublets

BCL182

40. Match the following -

|     | Column-I     |       | Column-II                    |
|-----|--------------|-------|------------------------------|
| (A) | Robert brown | (I)   | Ribonucleo protein           |
| (B) | Flemming     | (II)  | Nucleus as cell organelle    |
| (C) | Palade       | (III) | Packaging of materials       |
| (D) | Camillo      | (IV)  | Staining of nucleus material |

- (1) A - (II) B - (IV) C - (I) D - (III)
- (2) A - (II) B - (IV) C - (III) D - (I)
- (3) A - (I) B - (II) C - (III) D - (IV)
- (4) A - (IV) B - (III) C - (II) D - (I)

BCL183

41. Classification of chromosomes is based on -

- (1) the size of satellite
- (2) Number of telomeres
- (3) Position of centromere
- (4) Position of secondary constriction

BCL184

42. Chromosome with centromere slightly away from center is known as -

- (1) Metacentric
- (2) Submetacentric
- (3) Acrocentric
- (4) Telocentric

BCL185

43. Find out the incorrect about secondary constriction -

- (1) Non staining
- (2) Constant position
- (3) Known as satellite
- (4) Present in some chromosomes

BCL186

44. Match the column I and II and choose correct option :-

| Column-I |                 | Column-II |                                                                     |
|----------|-----------------|-----------|---------------------------------------------------------------------|
| (A)      | Plasma membrane | (I)       | Helps in cell division of animal cells                              |
| (B)      | Centriole       | (II)      | Protein synthesis                                                   |
| (C)      | Ribosomes       | (III)     | Not present in animal cell                                          |
| (D)      | Plastids        | (IV)      | Rich in hydrolytic enzymes                                          |
| (E)      | Lysosome        | (V)       | Barrier between cytoplasm and outer environment, in an animal cell. |

Options :-

- (1) A - V, B - I, C - II, D - III, E - IV
- (2) A - V, B - III, C - II, D - I, E - IV
- (3) A - IV, B - III, C - II, D - I, E - V
- (4) A - II, B - IV, C - III, D - I, E - V

BCL187

45. Which of the following is not the function of cell wall ?

- (i) Provides shape to the cell.
- (ii) Protects the cell from mechanical damage and infection.
- (iii) Helps in cell to cell connection.
- (iv) Provides barrier to undesirable macromolecules.
- (v) Helps in cell recognition

Options :-

- (1) only (iii)
- (2) only (iv)
- (3) only (ii), (iii) & (v)
- (4) only (v)

BCL188

46. (A) Unicellular organisms are capable of independent existence.  
(B) Cell is the fundamental structural and functional unit of all unicellular organisms only.  
(C) All cells arise from pre-existing cells.  
(D) The cytoplasm is the main arena of cellular activities of cells.

**Options :-**

- (1) Statements A, C and D are correct  
(2) Statements A, B and D are not correct  
(3) Statements A, B and C are correct  
(4) Statements B, C and D are not correct

**BCL189**

47. Which one of the following statements is not correct for the vacuoles ?

- (1) Contractile vacuoles are helpful in excretion  
(2) Food vacuoles are formed by engulfing the food particles  
(3) Sap vacuole is bound by tonoplast  
(4) Tonoplast facilitates the transport of ions against the concentration gradient into cytoplasm

**BCL190**

48. Which of the following is true for mitochondria?

- (A) Mitochondrial ribosome is smaller than prokaryotic ribosome  
(B) Single stranded circular DNA is present in matrix  
(C) Protein synthesis occurs in Mitochondrial matrix  
(D) Outer membrane is highly folded and form cristae

**Options :-**

- (1) A, C and D only  
(2) A, B and D only  
(3) Only C  
(4) A and D only

**BCL191**

**(B) ANALYTICAL QUESTIONS**

49. Which of the following are **correct** for the cell which has naked ds circular DNA?

- (a) Both 70S and 80S ribosomes  
(b) Histone absent  
(c) Compartmentalisation of cytoplasm absent  
(d) Always diploid

**Options :-**

- (1) a and d (2) b and c  
(3) a and c (4) b and d

**BCL192**

50. Which of the following is/are function(s) of Golgi complex ?

- (I) Modification of lipids and proteins  
(II) Detoxification  
(III) Formation of acrosome  
(IV) Glycogen synthesis & breakdown

Choose the correct option –

- (1) I and II are incorrect  
(2) I and III are correct  
(3) II is incorrect and remaining are correct  
(4) II and III are incorrect

**BCL193**

51. If living cells, similar to those found on earth, were found on another planet, where there was no oxygen, then which cell organelle would most probably be absent ?

- (1) Ribosomes  
(2) Golgi apparatus  
(3) Mitochondria  
(4) Endoplasmic Reticulum

**BCL194**

52. Plant and prokaryotic cells are similar with each other but differ from animal cells :-

- (1) In possessing 70 S ribosomes  
(2) In possessing cell wall  
(3) In possessing mitochondria  
(4) In possessing chloroplasts

**BCL195**

53. Ratio of protein and lipid in the membrane of erythrocytes of human being is :-

- (1) 1.8 (2) 1.3 (3) 0.80 (4) 0.60

**BCL196**

54. A student did the cell fractionation of a tissue but forgot to label his tubes. The content of one tube when studied showed organelles bounded by membrane with activity of catalase enzyme. These organelles could be :-

- (1) SER (2) Chloroplast  
(3) Lysosome (4) Peroxisome

BCL197

55. Given below are two statement -

**Statement-I** :- In plants, the tonoplast facilitates the transport of a number of ions and other materials against concentration gradient into the vacuole.

**Statement-II** :- Golgi apparatus is the important site of formation of glycoprotein and glycolipids.

In the light of the above statements, choose the correct answer from the options given below -

- (1) Both statement I and statement II are correct  
(2) Both statement I and statement II are incorrect  
(3) Statement I is correct but statement II is incorrect  
(4) Statement I is incorrect but statement II is correct

BCL198

56. **Assertion (A)** : Cell wall is a living rigid structure which form outer covering for the plasma membrane of fungi and plants.

**Reason (R)** : Secondary cell wall is formed on the outer (towards middle lamella) side of the cell.

- (1) Both Assertion and Reason are True and the Reason is a correct explanation of the Assertion.

- (2) Both Assertion and Reason are True but Reason is not a correct explanation of the Assertion.

- (3) Assertion is True but the Reason is False.

- (4) Both Assertion and Reason are False.

BCL199

57. **Assertion (A)** : Chloroplast & Mitochondria are considered as "Semi-autonomous organelle" of the cell.

**Reason (R)** : Both the organelle possess their own genetic material and have their own protein synthesising machinery.

- (1) Both Assertion and Reason are True and the Reason is a correct explanation of the Assertion.

- (2) Both Assertion and Reason are True but Reason is not a correct explanation of the Assertion.

- (3) Assertion is True but the Reason is False.

- (4) Both Assertion and Reason are False.

BCL200

58. Given below are two statement -

**Statement-I** :- At number of places the nuclear envelop is interrupted by minute pores.

**Statement-II** :- Material of the nucleus stained by the acidic dye was given the name chromatin by Flemming.

In the light of the above statements, choose the correct answer from the options given below -

- (1) Both statement I and statement II are correct

- (2) Both statement I and statement II are incorrect

- (3) Statement I is correct but statement II is incorrect

- (4) Statement I is incorrect but statement II is correct

BCL201

59. Read the following statements carefully and select the option which includes incorrect statements -

- (a) RER is frequently observed in the cells actively involved in lipid synthesis & secretion.
- (b) The SER is the major site for protein synthesis
- (c) The golgi cisternae are concentrically arranged near the nucleus.
- (d) Lysosomes are rich in alkaline hydrolases.

- (1) Statement (a), (b) and (c)
- (2) Statement (a), (b) and (d)
- (3) Statement (b), (c) and (d)
- (4) Statement (a), (c) and (d)

BCL202

60. New cells generate from-

- (1) bacterial fermentation
- (2) regeneration of old cells
- (3) pre-existing cells
- (4) abiotic materials


BCL209

61. Select the wrong statement from the following:

- (1) The chloroplasts are generally much larger than mitochondria
- (2) Both chloroplasts and mitochondria contain an inner and an outer membrane
- (3) Both chloroplasts and mitochondria have an internal compartment, the thylakoid space bounded by the thylakoid membrane
- (4) Both chloroplasts and mitochondria contain DNA

BCL080

62. Identify the components labelled A, B, C and D in the diagram below from the list (i) to (viii) given with -



**Components:**


- (i) Cristae of mitochondria
- (ii) Inner membrane of mitochondria
- (iii) Cytoplasm
- (iv) Smooth endoplasmic reticulum
- (v) Rough endoplasmic reticulum
- (vi) Mitochondrial matrix
- (vii) Cell vacuole
- (viii) Nucleus

The correct component are:

- (1) A-(i), B-(iv), C-(viii), D-(vi)
- (2) A-(vi) B-(v), C-(iv), D-(vii)
- (3) A-(v), B-(i), C-(iii), D-(ii)
- (4) A-(v), B-(iv), C-(viii), D-(iii)

BCL092

63. The figure below shows the structure of a mitochondrion with its four parts labelled (A), (B), (C) and (D). Select the part correctly matched with its function.



- (1) Part (A): Matrix - major site for respiratory chain enzymes
- (2) Part (D): Outer membrane - gives rise to inner membrane by splitting
- (3) Part (B): Inner membrane - forms infoldings called cristae
- (4) Part (C): Cristae - possess single circular DNA molecule and ribosomes


BCL095

64. Which one of the following cellular parts is correctly described?

- (1) Ribosomes - those on chloroplasts are larger (80 S) while those in the cytoplasm are smaller (70 S)
- (2) Lysosomes-optimally active at a pH of about 8.5
- (3) Thylakoids-flattened membranous sacs forming the grana of chloroplasts
- (4) Centrioles - sites for active RNA synthesis

BCL099

65. Which one of the following organelle in the figure correctly matches with its function?



- (1) Rough endoplasmic reticulum, protein synthesis
- (2) Rough endoplasmic reticulum, formation of glycoproteins
- (3) Golgi apparatus, protein synthesis
- (4) Golgi apparatus, formation of glycolipids

BCL103

## Exercise - III

## ANSWER KEY

| Question | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 |
|----------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| Answer   | 2  | 3  | 4  | 2  | 3  | 2  | 4  | 2  | 3  | 2  | 1  | 2  | 2  | 3  | 3  |
| Question | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| Answer   | 3  | 4  | 3  | 4  | 3  | 4  | 3  | 1  | 2  | 1  | 2  | 3  | 3  | 3  | 4  |
| Question | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
| Answer   | 4  | 4  | 3  | 1  | 2  | 3  | 3  | 2  | 3  | 1  | 3  | 2  | 3  | 1  | 1  |
| Question | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| Answer   | 1  | 4  | 3  | 2  | 2  | 3  | 2  | 2  | 4  | 1  | 4  | 1  | 3  | 2  | 3  |
| Question | 61 | 62 | 63 | 64 | 65 |    |    |    |    |    |    |    |    |    |    |
| Answer   | 3  | 4  | 3  | 3  | 1  |    |    |    |    |    |    |    |    |    |    |

# Important Notes